

enervent



Enervent Alta

THE INSTALLERS DREAM

Enervent Alta is designed to be particularly easy to install. Due to its design and low noise level, it doesn't need its own technical space. Installers love it!



WHEN INSTALLERS GET TO CHOOSE

Enervent Alta's inventive design makes it extremely easy to install. Because the power cord, control panel cable and cooker hood indication cable are brought out of the unit at the factory, there is no need to open the unit when installing it.



CAN YOU HEAR IT? IT IS REALLY QUIET.

Enervent Alta is easy to place, not only because its shape, but also because of its low noise level. For this device you do not need a separate technical space or closet. You can install it for example in a false ceiling in the living quarters.



READY FOR THE KITCHEN

Alta is ready to be connected to the cooker hood in the kitchen. No separate extract air duct is needed and you will save space where it is never enough.




Technical data

Air flow	50 - 313 m ³ /h
Pressure diff.	15-125 Pa
Duct size	Ø 160 mm
Connection cooker hood	Ø 125 mm
Weight	40 kg

IP classification	IP44 (external control IP20)
External material	Steel sheet, zinc coated. The hatch is powder painted
Dimensions	965x450x362 mm

For complete technical information and technical drawings go to www.enervent.com/alta.

Alta is a very quiet ventilation unit specially designed for ventilation in flats.



Case: Block of flats, Bergen (Norway)

- Totally 150 apartments
- Apartment size 38–110 m²
- Ventilation unit: Enervent Alta

The ventilation unit can be placed in the hallway or the bathroom depending on the floor plan. There is no need for a separate technical space since the unit can be installed in the living quarters, i.e. in a false ceiling in the hallway.



**WE HAVE MANY SMART
VENTILATION SOLUTIONS
FOR FLATS.**

*Read more about our
energy efficient solutions on
www.enervent.com*

Enervent Zehnder Oy
Kipinätie 1
FI-06150 Porvoo, Finland
Tel: +358 207 528 800
enervent@enervent.com
www.enervent.com

enervent